

**IVECO**  
**BUS**  
Drive the road of change



**A complete range of vehicles**  
for every need of a world in movement





URBAN MISSION:

04 **EWAY**

05 **EWAY**

06 **URBANWAY**

07 **CREALIS**

08 **STREETWAY**

URBAN, SCHOOL, LINE  
AND INTERCITY MISSION:

10 **CROSSWAY LE**

12 **CROSSWAY**

MIXED, EXCURSION  
AND TOURISM MISSION:

13 **EVADYS**

URBAN, SCHOOL, LINE  
AND TOURISM MISSION:

14 **eDAILY**

15 **DAILY**

18 **The Electric range**



**ELECTRIC**

19 **The Hydrogen range**



**HYDROGEN**

20 **The CNG range**



**BIO CNG**



**CNG**

22 **The Hybrid range**



**HYBRID GAS**



**HYBRID**

## ELECTRIC



**ELECTRIC**



### E-WAY ELEC

	9.5 m	10.7 m	12 m	18 m
<b>Length</b>	9,510 mm	10,735 mm	12,050 mm	17,960 mm
<b>BRT version length</b>	-	-	12,275 mm	18,185 mm
<b>Electric motor</b>	290 kW	290 kW	290 kW	450 kW
<b>Battery capacity</b>	293 kWh	293 - 418 kWh	346 - 485 kWh	346 - 624 kWh

## H2 HYDROGEN



**HYDROGEN**



### E-WAY H2

	12 m
<b>Length</b>	12,050 mm
<b>Driveline Power</b>	290 kW
<b>Batteries capacity</b>	69 kWh
<b>Range</b>	up to 450 km

CNG



	G-WAY	
	9.5 m	10.5 m
<b>Length</b>	9,510 mm	10,735 mm
<b>Tector 7 engine</b>	206 kW (280 hp)	206 kW (280 hp)

# URBANWAY

URBAN MISSION

CNG



## URBANWAY CNG

	12 m	18 m
Length	12,090 mm	18,000 mm
Cursor 9 engine	228 kW (310 hp)	265 kW (360 hp)

HYBRID



## URBANWAY HYBRID

	12 m	18 m
Length	12,090 mm	18,000 mm
Cursor 9 engine	228 kW (310 hp)	265 kW (360 hp)

DIESEL/XTL



## URBANWAY DIESEL/XTL

	12 m
Length	12,090 mm
Cursor 9 engine	228 kW (310 hp)

# CREALIS

URBAN MISSION

## CNG



CREALIS CNG		
	12 m	18 m
Length	12,567 mm	18,447 mm
Cursor 9 engine	228 kW (310 hp)	265 kW (360 hp)

## HYBRID



CREALIS HYBRID		
	12 m	18 m
Length	12,567 mm	18,447 mm
Cursor 9 engine	228 kW (310 hp)	265 kW (360 hp)

## DIESEL/XTL



CREALIS DIESEL/XTL	
	12 m
Length	12,567 mm
Cursor 9 engine	228 kW (310 hp)

# STREETWAY

URBAN MISSION

## ELECTRIC



ELECTRIC



### STREETWAY ELEC

	12 m
Length	12,130 mm
Electric motor	310 kW
Battery capacity	up to 485 kWh

## CNG



BIO CNG



CNG



### STREETWAY CNG

	12 m	18 m	18.75 m
Length	12,000 mm	18,000 mm	18,750 mm
Cursor 9 engine	228 kW (310 hp)	264 kW (360 hp)	264 kW (360 hp)

## DIESEL/XTL



HVO



HI-SCR



### STREETWAY DIESEL/XTL

	12 m	18 m	18.75 m
Length	12,000 mm	18,000 mm	18,750 mm
Cursor 9 engine	228 kW (310 hp)	265 kW (360 hp)	265 kW (360 hp)



# CROSSWAY LOW ENTRY

URBAN, SCHOOL, LINE  
AND INTERCITY MISSION

## ELECTRIC



ELECTRIC



CL. I&II\*

### CROSSWAY LOW ENTRY ELEC

	12 m	13 m
Length	12,050 mm	12,965 mm
Electric motor	290 kW	290 kW
Battery capacity	346 - 485 kWh	416 - 485 kWh
Max. seats	42+2	48+2

## CNG



BIO CNG



CNG



CL. I&II\*

### CROSSWAY LOW ENTRY CNG

	12 m	13 m
Length	12,050 mm	12,965 mm
Cursor 9 engine	265 kW (360 hp)	265 kW (360 hp)

# CROSSWAY LOW ENTRY

URBAN, SCHOOL, LINE  
AND INTERCITY MISSION



HYBRID GAS



HYBRID

HYBRID



CL. I&I\*

## CROSSWAY LOW ENTRY HYBRID

	10.8 m	12 m	13 m	14.5 m
<b>Length</b>	10,845 mm	12,050 mm	12,965 mm	14,495 mm
<b>Cursor 9 engine</b>	265 kW (360 hp)	265 kW (360 hp)	265 kW (360 hp)	265 kW (360 hp)

Hybrid Diesel    Hybrid Diesel and Gas

DIESEL/XTL



HVO



HI-SCR



CL. I&I\*

## CROSSWAY LOW ENTRY DIESEL/XTL

	10.8 m	12 m	13 m	14.5 m
<b>Length</b>	10,845 mm	12,050 mm	12,965 mm	14,495 mm
<b>Engine (Tector 7 / Cursor 9)</b>	210 kW (286 hp), 235 kW (320 hp), 265 kW (360 hp)	210 kW (286 hp), 235 kW (320 hp), 265 kW (360 hp)	210 kW (286 hp), 235 kW (320 hp), 265 kW (360 hp)	265 kW (360 hp)

# CROSSWAY

URBAN, SCHOOL, LINE  
AND INTERCITY MISSION

## ELECTRIC



ELECTRIC



CL. II&III\*

### CROSSWAY ELEC

	12 m	13 m
Length	12,097 mm	12,962 mm
Electric motor	290 kW	290 kW
Battery capacity	Up to 415 kWh	
Max. seats	57	63

## CNG



BIO CNG



CNG



CL. II&III\*

### CROSSWAY CNG

	12 m	13 m
Length	12,097 mm	12,962 mm
Cursor 9 engine	265 kW (360 hp)	265 kW (360 hp)

## HYBRID



HYBRID GAS



HYBRID



CL. II&III\*

### CROSSWAY HYBRID

	10.8 m	12 m	13 m
Length	10,757 mm	12,097 mm	12,962 mm
Cursor 9 engine	265 kW (360 hp)	265 kW (360 hp)	265 kW (360 hp)

Hybrid Diesel

Hybrid Diesel and Gas

# CROSSWAY

URBAN, SCHOOL, LINE  
AND INTERCITY MISSION



HVO



HI-SCR

DIESEL/XTL



CL. II&III\*

## CROSSWAY DIESEL/XTL

	10.8 m	12 m	13 m
<b>Length</b>	10,757 mm	12,097 mm	12,962 mm
<b>Engine (Tector 7 / Cursor 9)</b>	235 kW (320 hp), 265 kW (360 hp)	235 kW (320 hp), 265 kW (360 hp)	235 kW (320 hp), 265 kW (360 hp)

# EVADYS

MIXED, EXCURSION  
AND TOURISM MISSION



HVO



HI-SCR

DIESEL/XTL



CL. II&III\*

## EVADYS DIESEL/XTL

	12 m	13 m
<b>Length</b>	12,097 mm	12,962 mm
<b>Cursor 9 engine</b>	294 kW (400 hp)	
<b>Max. seats**</b>	Double door: 55 (with podium) Single door: 53 Rear door: 55	Double door: 61 Single door: 59 Rear door: 63
<b>Luggage volume (including luggage racks)</b>	from 8.0 to 10.2 m <sup>3</sup>	from 9.7 to 12.0 m <sup>3</sup>

\* CL. I = Class I = Urban vehicles | CL. II = Class II = Intercity vehicles / coaches | CL. III = Class III = Tourism vehicles

\*\* Maximum capacity depending on registration country and specifications

ELECTRIC



ELECTRIC



eDAILY		
	Daily Line	Daily POP (Italy only)
GVW	7t - 7,2t	7t - 7,2t
Wheelbase	4100 - 4100L	4100 - 4100L
Height*	H2	H2
Max. passenger capacity	22	42
Motor	Central drive E-Motor	
Power & Torque	Nominal: 90 kW / 220 Nm - Peak: 140 kW / 400 Nm	

\* H2 = 1,900 mm



# DAILY

URBAN, SCHOOL, LINE  
AND TOURISM MISSION



## CNG



DAILY CNG		
	Daily Line	Daily POP (Italy only)
GVW	6t - 6,5t	6t - 6,5t
Wheelbase	4100 - 4100L	4100 - 4100L
Height*	H2	H2
Max. passenger capacity	22	42
Engine	FIC EuroVI 3L 101 kW (136 hp)	
Gearbox	Manual / Automatic	

\* H2 = 1,900 mm

## DIESEL/XTL



DAILY DIESEL				
	Daily Line	Daily Start	Daily Tourys	Daily POP (Italy only)
GVW	4,5t - 5t - 6t - 6,5t	4,5t - 5t - 6t - 6,5t	6,5t	6t - 6,5t
Wheelbase	3520L - 4100 - 4100L	3520L - 4100 - 4100L	4100L	4100 - 4100L
Height*	H2	H2	H3	H2
Max. passenger capacity	22	22	22	42
Engine	FIC EuroVI 3L 131 kW (176 hp) / 154 kW (207 hp)			
Gearbox	Manual / Automatic	Manual / Automatic	Automatic	Manual / Automatic

\* H2 = 1,900 mm; H3 = 2,100 mm



ELECTRIC

ELECTRIC

eDAILY

	INCOMPLETE		CHASSIS		VAN	
	Windowed Van	Windowed Vendor	Chassis Cowl	Chassis Cowl Stripped	EV7G	EV4G
<b>GVW</b>	7t - 7,2t	7t - 7,2t	6,0t - 6,5t 7t - 7,2t	6,0t - 6,5t 7t - 7,2t	6,0t - 6,5t 7t - 7,2t	4t - 4,5t
<b>Wheelbase</b>	4100 - 4100L	4100 - 4100L	3450 - 3750 - 4100 - 4350 - 4750 - 5100 (4 batteries)		4100 - 4100L	3520L - 4100 - 4100L
<b>Height*</b>	H2 - H3	H2 - H3	-	-	H2 - H3	H2 - H3
<b>Electric motor</b>	Central drive E-Motor					
<b>Power &amp; Torque</b>	Nominal: 90 kW / 220 Nm - Peak: 140 kW / 400 Nm					

\* H2 = 1,900 mm; H3 = 2,100 mm

# DAILY

CNG



BIO CNG



CNG

DAILY CNG

	INCOMPLETE		CHASSIS		VAN
	Windowed Van	Windowed Vendor	Chassis Cowl	Chassis Cowl Stripped	F70V
<b>GVW</b>	4,5t - 5t - 6t - 6,5t	4,5t - 5t - 6t - 6,5t	6,0t - 6,5t - 7t - 7,2t	6,0t - 6,5t - 7t - 7,2t	6,0t - 6,5t - 7t
<b>Wheelbase</b>	3520L - 4100 - 4100L	4100 - 4100L	3450 - 3750 - 4100 - 4350 - 4750 - 5100		4100 - 4100L
<b>Height*</b>	H2 - H3	H2 - H3	-	-	H2 - H3
<b>Engine</b>	FIC Euro VI 3L 101 kW (136 hp)				
<b>Gearbox</b>	Manual / Automatic				

\* H2 = 1,900 mm; H3 = 2,100 mm



HVO



HI-SCR

DIESEL/XTL

DAILY DIESEL

	INCOMPLETE			CHASSIS	
	Windowed Van	Minibus	Windowed Vendor	Chassis Cowl	Chassis Cowl Stripped
<b>GVW</b>	4,5t - 5t - 6t - 6,5t	4,5t - 5t - 6t - 6,5t	4,5t - 5t - 6t - 6,5t	6,0t - 6,5t - 7t - 7,2t	6,0t - 6,5t - 7t - 7,2t
<b>Wheelbase</b>	3520L - 4100 - 4100L	4100 - 4100L	4100 - 4100L	3450 - 3750 - 4100 - 4350 - 4750 - 5100	
<b>Height*</b>	H2 - H3	H2 - H3	H2 - H3	-	
<b>Engine</b>	FIC Euro VI 3L 131 kW (176 hp) / 154 kW (207 hp)				
<b>Gearbox</b>	Manual / Automatic				

\* H2 = 1,900 mm; H3 = 2,100 mm

DAILY DIESEL

	VAN		VAN (4x4)			
	F50V	F70V	F5VG (twin wheels)	F5VS (single wheel)	F5VG (twin wheels)	F5VS (single wheel)
<b>GVW</b>	4,5t - 5t	6,0t - 6,5t 7t	5,5t	5,5t	7t	7t
<b>Wheelbase</b>	3520, 3520L 4100, 4100L	4100, 4100L	4175	3595, 3595L 4175	4175	3595, 3595L 4175
<b>Height*</b>	H2 - H3	H2 - H3	H2 - H3	H2 - H3	H2 - H3	H2 - H3
<b>Engine</b>	FIC Euro VI 3L 131 kW (176 hp) / 154 kW (207 hp)					
<b>Gearbox</b>	Manual / Automatic					

\* H2 = 1,900 mm; H3 = 2,100 mm

# The Electric range



CL I\*



CL I&II\*



CL II&III\*



## E-WAY

	9.5 m	10.7 m	12 m	18 m
Length	9,510 mm	10,735 mm	12,050 mm	17,960 mm
BRT version length	-	-	12,275 mm	18,185 mm
Electric motor	290 kW	290 kW	290 kW	450 kW
Battery capacity	293 kWh	293 - 418 kWh	346 - 485 kWh	346 - 624 kWh

## CROSSWAY LOW ENTRY ELEC

	12 m	13 m
Length	12,050 mm	12,965 mm
Electric motor	290 kW	290 kW
Battery capacity	346 - 485 kWh	416 - 485 kWh
Max. seats	42+2	48+2

## CROSSWAY ELEC

	12 m	13 m
Length	12,097 mm	12,962 mm
Electric motor	290 kW	290 kW
Battery capacity	Up to 415 kWh	
Max. seats	57	63

## eDAILY

	Daily LINE	Daily POP (Italy only)
GVW	7t - 7,2t	7t - 7,2t
Wheelbase	4100 - 4100L	4100 - 4100L
Height*	H2	H2
Motor	Central drive E-Motor	
Power & Torque	Nominal: 90 kW / 220 Nm - Peak: 140 kW / 400 Nm	

\* H2 = 1,900 mm

# The Hydrogen range



CL. I\*

E-WAY H2

	12 m
Length	12,050 mm
Driveline Power	290 kW
Batteries capacity	69 kWh
Range	up to 450 km



# The CNG range



BIO CNG



CNG



CL. I\*



CL. I\*



CL. I\*



CL. I\*

## URBANWAY CNG

	12 m	18 m
Length	12,090 mm	18,000 mm
Cursor 9 engine	228 kW (310 hp)	265 kW (360 hp)

## CREALIS CNG

	12 m	18 m
Length	12,567 mm	18,447 mm
Cursor 9 engine	228 kW (310 hp)	265 kW (360 hp)

## STREETWAY CNG

	12 m	18 m	18.75 m
Length	12,000 mm	18,000 mm	18,750 mm
Cursor 9 engine	228 kW (310 hp)	264 kW (360 hp)	264 kW (360 hp)

## G-WAY

	9.5 m	10.5 m
Length	9,510 mm	10,735 mm
Tector 7 engine	206 kW (280 hp)	206 kW (280 hp)

# The CNG range



BIO CNG



CNG



CL. I & II\*

## CROSSWAY LOW ENTRY CNG

	12 m	13 m
Length	12,050 mm	12,965 mm
Cursor 9 engine	265 kW (360 hp)	265 kW (360 hp)



CL. II & III\*

## CROSSWAY CNG

	12 m	13 m
Length	12,097 mm	12,962 mm
Cursor 9 engine	265 kW (360 hp)	265 kW (360 hp)



## DAILY CNG

	Daily Line	Daily POP (Italy only)
GVW	6t - 6,5t	6t - 6,5t
Wheelbase	4100 - 4100L	4100 - 4100L
Height*	H2	H2
Engine	FIC Euro VI 3L 101 kW (136 hp)	
Gearbox	Manual / Automatic	

\* H2 = 1,900 mm

# The Hybrid range



HYBRID GAS



HYBRID



CL. I\*

## URBANWAY HYBRID

	12 m	18 m
Length	12,090 mm	18,000 mm
Cursor 9 engine	228 kW (310 hp)	265 kW (360 hp)

## CREALIS HYBRID

	12 m	18 m
Length	12,567 mm	18,447 mm
Cursor 9 engine	228 kW (310 hp)	265 kW (360 hp)

Hybrid Diesel and Gas



CL. I\*

# The Hybrid range



HYBRID GAS



HYBRID



CL. II & III\*

## CROSSWAY HYBRID

	10.8 m	12 m	13 m
<b>Length</b>	10,757 mm	12,097 mm	12,962 mm
<b>Cursor 9 engine</b>	265 kW (360 hp)	265 kW (360 hp)	265 kW (360 hp)



CL. I & II\*

## CROSSWAY LOW ENTRY HYBRID

	10.8 m	12 m	13 m	14.5 m
<b>Length</b>	10,845 mm	12,050 mm	12,965 mm	14,495 mm
<b>Cursor 9 engine</b>	265 kW (360 hp)	265 kW (360 hp)	265 kW (360 hp)	265 kW (360 hp)

Hybrid Diesel

Hybrid Diesel and Gas

\* CL. I = Class I = Urban vehicles | CL. II = Class II = Intercity vehicles / coaches | CL. III = Class III = Tourism vehicles

\*\* Maximum capacity depending on registration country and specifications

**IVECO**  
**BUS**  
Drive the road of change

PUBLICATION RANGE\_EN 02/25

The information and images in this catalogue are provided as a guideline only.  
IVECO BUS reserves the right to make changes for any commercial or construction reasons at any time without notice.