

**IVECO**  
**BUS**

Drive the road of change



**STREETWAY**

# The STREETWAY at a glance

The Streetway extends the IVECO BUS offering for city transport with an efficient bus optimized for urban mobility.

## 1 SUSTAINABLE PERFORMANCE

- ELEC version with modular 5, 6 or 7 battery packs to deliver overall embedded on board energy 346, 416 or 486 kWh respectively
- High-efficiency FPT Industrial Cursor 9 engines
- Diesel version with HI-SCR after-treatment system compatible with second-generation biofuels
- CNG version compatible with bio-methane featuring high-capacity tanks for long range

## 2 OPERATIONAL EFFICIENCY

- Excellent versatility: wide choice of lengths, gearboxes, engines, seat layout and configuration: to suit every customer need
- Easy maintenance and optimized TCO through the rationalization of technical solutions

## 3 NETWORK & SERVICES

- IVECO is always at your side with its extensive service and parts network, wherever you are
- Full set of OEM associated services integrates the product offering

## 4 PROVEN RELIABILITY

- Robust, proven solutions, with tried and tested components and assemblies
- Durability-boosting features such as the high-quality anti-corrosion treatment for long-lasting body life



ELECTRIC



BIO CNG



CNG



HI-SCR

# Designed for accessibility and comfort

The Streetway prioritises passenger comfort and operational efficiency.

The smart distribution of the interior spaces in both driveline models allows for multiple seating arrangement possibilities to satisfy every need and deliver the best city transport.

The low floor between the front and middle doors provides easy access for all passengers.

The wide low floor space allows for fast passenger flow, while ensuring full disabled access. The Streetway can also be fitted with manual or electric ramps with a dedicated area for disabled passengers to travel in comfort.



# STREETWAY ELEC:

## a complementary solution for emission-free urban transport

The full electric Streetway ELEC benefits from the robustness and efficiency characteristics of the Streetway models. The Streetway ELEC is a low floor city bus, available in a 12 metre long version. It is equipped with a 310 kW VOITH electric motor and, like the entire IVECO BUS electromobility offering, benefits from the latest NMC Li-ion battery technology assembled by FPT Industrial.

This modular energy storage architecture offers a choice of combinations of 5, 6 or 7 battery packs distributed between the roof and the rear of the vehicle to deliver an overall 346 kWh, 416 kWh and 485 kWh respectively. The extended battery capacity enables a range of up to 400 km to comply with the most demanding missions and customer expectations. It is designed for all day use with night time recharging at the depot using COMBO 2 CSS plug in (duration: up to 5 hours depending on the charging system capacity, max 150 kW).

The Streetway ELEC is available with a choice of two or three access doors and can accommodate more than 90 passengers. The passengers' accessibility has been improved, offering a new 5 seat area in the rear section of the vehicle.



# New driver area

The Streetway ELEC driver's workplace was completely renewed and fully meets the parameters required in the fields of ergonomics, workplace accessibility, heating and ventilation and is compliant with VDV 234.

For the more driver comfort, Streetway ELEC has new adjustable dashboard with new control commands at ergonomic distance from driver seating position. The steering column has been redesigned with better adjustment steering wheel position, and together with improved drive seat back adjustment, offer the best comfort small or tall drivers. Steering column position is now pneumatically lockable. All is underlined with new modern steering wheel enabling the best control vehicle during all day missions.

The configurations are possible as well with turning seats 35° (VDV) as optional (with ISRI).



# Overview of the range

## NEW STREETWAY ELEC

## STREETWAY



	12 m 2 & 3 doors	12 m 2 & 3 doors	18,00 m; 18,75 m 3 & 4 doors
<b>Dimensions</b>	2,550 x 12,130 mm 3,220 mm	2,540 x 12,000 mm	2,540 x 18,000 mm 2,540 x 18,750 mm
<b>Engine</b>	VOITH HD E-Motor	3,245 mm (Diesel); 3,390 mm (CNG) Cursor 9, Diesel or CNG	
<b>Power &amp; torque</b>	310 kW nominal; Peak 410 kW / 3100 Nm	310 hp / 1300 Nm	360 hp / Diesel: 1650 Nm CNG: 1640 Nm
<b>Gear Box</b>	N/A	Voith Diwa 6 or ZF Ecolife 2	
<b>Energy</b>	FULL ELEC - FPT batt.	Diesel 280 lt.	Diesel 380 lt.
	346 kWh – 5 packs 416 kWh – 6 packs 486 kWh – 7 packs	CNG3 tanks: serial 1280 lt. opt. 1600 lt.	CNG3 tanks: serial 1600 lt. opt. 1805 lt.
<b>Doors</b>	Pneumatic inward or electric sliding outside apart front electric inward		

**IVECO**  
**BUS**  
Drive the road of change

The information and images in this catalogue are provided as a guideline only.  
IVECO BUS reserves the right to make changes for any commercial or construction reasons at any time without notice.